

REFERENCES

- Abdel-Gawad, M., Bulau, J., and Tittman, B. (1987). "Quantitative Characterization of Microcracks at Elevated Pressure." *Journal of Geophysical Research*, 92(B12), 12911-12916.
- ACI Committee 363 (1984). "State of the Art Report on High Strength Concrete." *ACI Journal*, 81(4), 364-411.
- Anderson, T. L. (1991). *Fracture Mechanics Fundamentals and Applications*, CRC Press, Boca Raton, Florida.
- "Standard Test Methods for Microscopical Determination of Parameters of the Air-Void System in Hardened Concrete: ASTM C 457-90." (1993). *ASTM annual book of standards*, 4.02, Concrete and Aggregates, ASTM, Philadelphia, Pa. 234-246.
- Barquins, M. and Petit, J. P. (1992). "Kinetic instabilities during the propagation of a branch crack: effects of loading conditions and internal pressure." *Journal of Structural Geology*, 14(8/9), 893-903.
- Batzle, M. L., Simmons, G., and Seigfried, R. W. (1980). "Microcrack Closure in Rocks Under Stress: Direct Observation." *Journal of Geophysical Research*, 85(B12), 7072-7090.
- Buyukozturk, O., Nilson, A. H., and Slate, F. O. (1971). "Stress-Strain Response and Fracture of Concrete Model in Biaxial Loading." *Journal of American Concrete Institute, Proceedings*, 68(5), 590-599.
- Buyukozturk, O., Nilson, A. H., and Slate, F. O. (1972). "Deformation and Fracture of a Particulate Composite." *Journal of Engineering Mechanics Division, Proceedings of American Society of Civil Engineers*, 98(EM3), 581-593.

- Carino, N.J. and Slate, F. O. (1976). "Limiting Tensile Strain Criterion for Failure of Concrete," *Journal of American Concrete Institute, Proceedings*, 73, 160-65.
- Carrasquillo, R. L., Nilson, A. H., and Slate, F. O. (1981). "Properties of High Strength Concrete Subject to Short-Term Loads," *ACI Journal*, 78(3), 171-178.
- Carpinteri, A. and Ingraffea, A. R. (1984). *Fracture Mechanics of Concrete: Material Characterization and Testing*, Martinus Nijhoff Publishers, The Hague.
- Carrasquillo, R. L., Nilson, A. H., and Slate, F. O. (1981). "Properties of High Strength Concrete Subject to Short-Term Loads," *ACI Journal*, 171-178.
- Chen, W. F. (1982). *Plasticity in Reinforced Concrete*, McGraw-Hill Book Company, New York, 30-33.
- Crouch, S. L. and Starfield, A. M. (1983). "Boundary Element Method in Solid Mechanics," George Allen & Unwin, London.
- Czernin, W. (1962). *Chemistry and Physics of Cement for Civil Engineers*, Chemical Publishing Co., New York.
- Diamond, S. and Mindess, S. (1980). "Scanning Electron Microscope Observations of the Cracking in Portland Cement Paste," *Proceedings, Seventh International Symposium on the Chemistry of Cement*, 3, Paris.
- Diamond, S. and Mindess, S. (1980) "A Preliminary SEM Study of Crack Propagation in Mortar", *Cement and Concrete Research*, 10 (4), 509-519.
- Du, W. and Kemeny, J. M. (1993). "Modelling Borehole Breakout by Mixed Mode Crack Growth, Interaction, and Coalescence," *International Journal of Rock Mechanics and Mining Science and Geomechanics Abstracts*, 30(7), 809-812.

- Du, W. (1994). "Numerical modeling of mixed mode multiple crack propagation and its application to the simulation of non-linear rock deformation and borehole breakout," *Ph.D. Thesis*, University of Arizona.
- Eitel, W. (1941). "Recent Results of Cement Research," *Angewandte Chemie*, 54(15/16), 185-192.
- Eitel, W. (1942). "Electron Microscopic Cement Research," *Zement*, 31, 489-495.
- Gettu, R., Bazant, Z. P., and Karr, M. E. (1990). "Fracture Properties and Brittleness of High Strength Concrete," *American Concrete Institute Journal of Materials*, 87(6), 608-618.
- Goldstein, J. I., Newbury, D. E., Echlin, P. E., Joy, D. C., Romig, D. A., Lyman, C. E., Fiori, C., and Lifshin, E. (1992), "Scanning Electron Microscopy and X-Ray Microanalysis," Plenum Press, New York.
- Griffith, A. A. (1920). "The phenomena of rupture and flow in solids," *Philosophical Transactions of the Royal Society of London, Series A221*, 163-198.
- Griffith, A. A. (1924). "The theory of rupture," *Proceedings of First International Congress of Applied Mechanics, Delft*, 55-63.
- Grudemo, A. (1960). "The Microstructure of Hydrated cement Paste," *Proceedings, Fourth International Symposium on the Chemistry of Cement*, 2, 615-658, Washington, D.C.
- Hadley, K. (1976). "Comparison of Calculated and Observed Crack Densities and Seismic Velocities in Westerly Granite," *Journal of Geophysical Research*, 81(20), 3484-3494.
- Hamstad, M. A. (1986). "A review: Acoustic emission, a tool for composite materials studies," *Exper. Mech.*, 26(1), 7-13.

- He, H. and Ahrens, T. J. (1994). "Mechanical Properties of Shock-damaged Rocks," *International Journal of Rock Mechanics and Mining Science and Geomechanics Abstracts*, 31(5), 525-533.
- Hognestad, E., Hanson, N. W., and McHenry, D. (1955). "Concrete Stress Distribution in Ultimate Stress Design," *Journal of the American Concrete Institute, Proceedings*, 455-479.
- Hsu, T. T. C. (1963). "Mathematical Analysis of Shrinkage Stresses in a Model of Hardened Concrete," *Journal of the American Concrete Institute, Proceedings*, 60, 3, 371-390.
- Hsu, T. T. C. and Slate, F. O. (1963). "Tensile Bond Strength Between Aggregate and Cement Paste or Mortar," *Journal of the American Concrete Institute, Proceedings*, 60(4), 465-486.
- Hsu, T. T. C., Slate, F. O., Sturman, G. M., and Winter, G. (1963). "Microcracking of Plain Concrete and the Shape of the Stress-Strain Curve," *Journal of the American Concrete Institute, Proceedings*, 60(14), 209-224.
- Huang, J. and Li, V. C. (1989). "A Meso-Mechanical Model of the Tensile Behavior of Concrete-Part I: Modelling of Pre-Peak Stress-Strain Relation," *Composites*, 20(4), 361-369.
- Inglis, C. E. (1913). "Stresses in a plate due to the presence of cracks and sharp corners," *Transactions of the Institute of Naval Architects*, 55, 219-241.
- Irwin, G. R. (1956). "Onset of Fast Crack Propagation in High Strength Steel and Aluminium Alloys," *Sagamore Research Conference Proceedings*, 2, 289-305.
- Irwin, G. R. (1957). "Analysis of Stresses and Strains near the End of a Crack Transversing a Plate," *Trans ASME, Journal of Applied Mechanics*, 24, 361-364.

- Jones, R. (1952). "A Method of Studying the Formation of Cracks in a Material Subject to Stresses," *British Journal of Applied Physics*, London, 229-232.
- Kemeney, J. M. (1991). "A Model for Non-linear Rock Deformation Under Compression Due to Sub-critical Crack Growth," *International Journal of Rock Mechanics and Mining Science and Geomechanics Abstracts*, 28(6), 459-467.
- Kranz, R. L. (1983). "Microcracks in Rocks: A Review," *Tectonophysics*, 100, 449-480.
- Kupfer, H. B. and Gerstle, K. H. (1973). "Behavior of Concrete under Biaxial Stresses," *Journal of Engineering Mechanics*, Div. ASCE, 99(EM4), Proc. pap. 9917, 852-866.
- Lajtai, E. Z. (1974). "Brittle Fracture in Compression," *International Journal of Fracture*, 10(4), 525-536.
- Le Chatelier, H. (1882). "Experimental Researches on the Constitution of Hydraulic Mortars," translated by J. L. Mack, McGraw, New York, 1905. Also: *Compt. rend.*, 94 (1882) 13; and *Journal of Chemical Ind.*, 1 (1882) 151.
- L'Hermite, R. (1954). "Present Day Ideas in Concrete Technology. Part 3: The Failure of Concrete," *RILEM Bulletin*, 27-38.
- Liu, T. C. Y., Nilson, A. H., and Slate, F. O. (1972). "Stress-Strain Response and Fracture of Concrete in Uniaxial and Biaxial Compression," *Journal of American Concrete Institute, Proceedings*, 69(5), 291-295.
- Maji, A. K., Ouyang, C., and Shah, S. P. (1990). "Fracture Mechanics of Quasi-Brittle Materials Based on Acoustic Emission," *Journal of Materials Research*, 5(1), 206-217.
- Maji, A. K. and Shah, S.P. (1990). "Measurement of Mixed-mode crack Profiles by Holographic Interferometry," *Experimental Mechanics*, 30(N2), 201-207.

- Mandelbrot, B. B. (1977). "The Fractal Geometry of Nature," W.H. Freeman, New York.
- Martz, H. E., Schneberk, D. J., Roberson, G. P., and Monteiro, P. J. M. (1993). "Computerized Tomography Analysis of reinforced Concrete," *ACI Materials Journal*, 90(3), 259-264.
- Maso, J. C., (1980). "Proceedings of the Seventh International Congress on the Chemistry of Cements," 1, Editions Septima, Paris.
- Massat, M., Ollivier, J. P., and Ringot E. (1988). "Microscopic Analysis of Microcracking Damage in Concrete and Durability," *Laboratoire Materiaux et Durabilite des Constructions (INSA-UPS)*, Toulouse, France.
- McLaughlin, R. (1977). "A study of the differential scheme for composite materials," *International Journal of Engineering Science*, 15, 237.
- Mehta, P. K. and Monteiro, P. J. M. (1993). "Concrete- Structure, Properties, and Material," Prentice Hall, Second Edition, 494-500.
- Mindess, S. and Diamond, S. (1980). "The Cracking and Fracture of Mortar," *Proceedings of a session sponsored by the committee on property of materials of the ASCE Engineering Mechanics Division*, Hollywood, Florida.
- Mobasher, B., Castro-Montero A., and Shah, S. P. (1990). "A Study of Fracture in Fiber-reinforced Cement-based Composites Using Laser Holographic Interferometry," *Experimental Mechanics*, 30(N3), 201-207.
- Monteiro, P. J. M. and King, M. S. (1988). "Experimental Studies of Elastic Wave Propagation in High-Strength Mortar," *ASTM Journal, Cement, Concrete, and Aggregates*, CCAGDP, 10(2), 68-74.
- Monteiro, P. J. M., Helene, P. R. L., and Kang, S. H. (1993). "Designing concrete mixtures for strength, elastic modulus and fracture energy," *Materials and Structures*, RILEM, 26, 443-452.
- Moran B. and Sih, C. F. (1987). "A General Treatment of Crack Tip Contour Integrals," *International Journal of Fracture*, 35, 295-310.

- Mori, T. and Tanaka, K. (1973). "Average stress in matrix and average elastic energy of materials with misfitting inclusions," *Acta Metall.*, 21, 571-574.
- Nakasa, K. and Nakatsuka, J. (1991). "Crack Initiation, Propagation and Branching in a Disk of Brittle Material Under Axisymmetric Tension." *Engineering Fracture Mechanics*, 39(4), 661-670.
- Nakasa, K. and Nakatsuka, J. (1994). "Analysis of crack branching morphology in a disk of brittle material under axisymmetric tension by using branching dimension," *Engineering Fracture Mechanics*, 47(3), 403-415.
- Nemat-Nasser, S. and Hori, M. (1993). "Micromechanics: overall properties of heterogeneous materials," Elsevier Science Publisher B.V., The Netherlands, 345-358.
- Neville, A. M. (1981). "Properties of Concrete," Longman Science & Technical, New York.
- Noris, A. N. (1985). "A differential scheme for the effective moduli of composites," *Mech. Mater.*, 4, 1.
- Orr, C, Jr. (1969/70). "Application of Mercury Penetration to Material Analysis, Powder Technology," Elsevier Sequoia S.A., Lausanne, 117-123.
- Ouyang, C., Landis, E., and Shah, S. P. (1991). "Damage Assessment in Concrete Using Quantitative Acoustic Emission," *ASCE Journal of Engineering Mechanics*, 117(11), 2681-2698.
- Pyrak, L. J. (1988). "Seismic Visibility of Fractures." *Ph.D. Thesis*, Department of Material Science and Mineral Engineering, University of California at Berkeley.
- Radczewski, O. E., Müller, H. O., and Eitel, W. (1939). "Ultra-Microscopic Examination of Hydration of Lime," *Zement*, 28(49), 693-697.

- Regnault, P. and Bruhwiler, E. (1990). "Holographic Interferometry for the Determination of Fracture Process Zone in Concrete," *Engineering Fracture Mechanics*, 35(1/2/3), 29-38.
- Richart, F. E., Brandtzaeg, A. , and Brown, L. (1929). "A Study of the Failure of Concrete Under Combined Compressive Stresses," *Bulletin No. 185, University of Illinois Engineering Experiment Station, Urbana*, 102.
- Ringot, E (1988). "Automatic quantification of microcracks network by stereological method of total projections in mortars and concretes," *Cement and Concrete Research*, 18, 35-43.
- Rossi, P. and Le Maou, F. (1989). "New Methods for Detecting Cracks in Concrete Using Fibre Optics," *RILEM Materials and Structures*, 437-442.
- Russ, John C. (1986). "Practical Stereology," Plenum Press, New York.
- Salganik, R. L. (1973). "Mechanics of Bodies with Many Cracks," *Mechanics of Solids*, 8(4), 135-143.
- Saltikov, S. A. (1967). "A Stereological Method for Measuring the Specific Surface Area of Metallic Powders, Stereology, edited by H. Elias, *Proc. Second International Congress for Stereology*, Chicago; Springer Verlag, New York.
- Saltikov, S. A. (1945). "Stereometric Metallography," second edition, Metallurgizdat, Moscow.
- Sammis, C. G., and Ashby, M. F. (1986). "The Failure of Brittle Porous Solids Under Compressive Stress States," *Acta Metall.*, 34(3), 511-526.
- Schlueter, E., Cook, N. G. W., Zimmerman, R. W., and Witherspoon, P. A. (1991). "Predicting permeability and electrical conductivity of sedimentary rocks from microgeometry," *Rock Mechanics as a Multidisciplinary Science*, Roegiers (ad.), Rotterdam, 355-364.
- Shah, S. P. and Chandra, S. (1970). "Fracture of concrete subjected to cyclic and sustained loading," *ACI Journal, Proceedings* 67(10), 816-825.

- Shah, S. P. and Sankar, R. (1987). "Internal cracking and strain softening response of concrete under uniaxial compression," *ACI Materials Journal*, 84(3), 200.
- Slate, F. O. and Olsefski, S. (1963). "X-Rays for Study of Internal Structure and Microcracking of Concrete," *Journal of the American Concrete Institute*, Proceedings, 60(31), 575-588.
- Smith, C. S. and Guttman, L. (1953). "Measurement of Internal Boundaries in Three Dimensional Structures by Random Sectioning," *Trans. AIME*, 197.
- Stroeven, P. (1973). "Some Aspects of Micromechanics of Concrete," PhD Thesis, Stevin Laboratory, Technological University of Delft.
- Stroeven, P. (1976). "Application of various stereological methods to the study of the grain and the crack structure of concrete," *Journal of Microscopy*, 107(3), 313-321.
- Stroeven, P. (1976). "Morphometry of plain and fibre reinforced concrete by means of image analysis techniques," *Proceedings of the second International conference on Mechanical Behavior of Materials*, Boston, Massachusetts, 1675-1679.
- Stroeven, P. (1979). "Geometric probability approach to the examination of microcracking in plain concrete," *Journal of Materials Science*, 14, 1141-1151.
- Stroeven, P. (1991). "Fractals and Fractography in Concrete Technology," *International Symposium on Brittle Matrix Composites*, 3rd, Warsaw, Poland, 1-10.
- Stroeven, P. (1992). "Some mechanical effects of interface debonding in plain concrete, Interfaces in Cementitious Composites," *Proceedings of the RILEM International Conference*, Edited by J.C. Maso, Toulouse, France, 187-196.
- Tavasci, B. (1942). "Structure of Hydrated Portland Cement," *Zement*, 30(4), 43-48 & 55-58.

- Underwood, E. E. (1968). "Quantitative Stereology," Addison-Wesley Publishing Company, New Jersey.
- Whitehurst, E. A. (1966). "Evaluation of Concrete Properties from Sonic Tests," Monograph No. 2, *American Concrete Institute*, Detroit, Michigan.
- Wittmann, F. H. (1983). "Fracture Mechanics of Concrete," Lausanne, Switzerland, Elsevier Science Publishers B.V., Amsterdam.
- Wittmann, F. H. (1986). "Fracture Toughness and Fracture Energy of Concrete," *Proceedings of the International Conference on Fracture Mechanics of Concrete*, Lausanne, Switzerland, October 1-3, Elsevier Science Publishers B.V., Amsterdam.
- Yadev, G.D., Dullien, F. A. L., Chatzis, I., and Macdonald, I. F. (1984). "Microscopic Distribution of Wetting and Non-Wetting phases in Sandstone During Immiscible Displacements," *Paper SPE 13212, presented at the 1984 SPE Annual Technical Conference and Exhibition*, Dallas, Texas.
- Zheng, Z. (1989). "Compressive stress-induced microcracks in rocks and applications to seismic anisotropy and borehole stability," *PhD Thesis*, Department of Material Science and Mineral Engineering, University of California, Berkeley.
- Zimmerman, R. W. (1985). "The Effect of Microcracks on the Elastic Moduli of Brittle Materials," *Journal of Material Science Letters*, 4, 1457-1460.
- Zimmerman, R. W. (1991). "Elastic moduli of a solid containing spherical inclusions," *Mechanics of Materials*, 12, 17-24.